

20 MINUTE FIRE PROTECTIVE GLASS PRODUCTS COMPARISON

All products meet CPSC impact safety requirements.

SPECIALTY TEMPERED

20 Minute Product	Origin	Appearance	Cost	Hose Stream	Max. Area (sq. in.) in Doors	Warranty	Thickness/ Weight per sq. ft.
★ BEST OPTION							
SuperLite I by SAFTI FIRST	USA	Clear	\$	No*	3,436 sq. in. for AD** 3,341 sq. in. for SD** 3,299 sq. in. for WD**	Lifetime	1/4 in. / 3 lbs.
Fireglass 20 by TGP	USA	Clear	\$	No*	3,204 sq. in.	Unknown	1/4 in. / 3 lbs.
Pyroswiss by Vetrotech	USA	Clear	\$	No*	3,419 sq. in.	Unknown	1/4 in. / 3 lbs.

FILMED CERAMIC

20 Minute Product	Origin	Appearance	Cost	Hose Stream	Max. Area (sq. in.) in Doors	Warranty	Thickness/ Weight per sq. ft.
FireLite NT by TGP	Imported	Tinted	\$\$\$	Yes	3,204 sq. in.	3 years	3/16 in. / 2.5 lbs.
Keralite F/Keralite Select F by Vetrotech	Imported	Tinted	\$\$\$	Yes	3,627 sq. in.	3 years	3/16 in. / 2.5 lbs.

LAMINATED CERAMIC

20 Minute Product	Origin	Appearance	Cost	Hose Stream	Max. Area (sq. in.) in Doors	Warranty	Thickness/ Weight per sq. ft.
FireLite Plus by TGP	Imported	Tinted	\$\$\$\$	Yes	3,204 sq. in.	5 years	5/16 in. / 4 lbs.
Keralite L/Keralite Select L by Vetrotech	Imported	Tinted	\$\$\$\$	Yes	3,627 sq. in.	5 years	5/16 in. / 4 lbs.

*Per the IBC, the hose stream test is not required for 20 minute doors.

**AD = Aluminum Door / SD = Steel Door / WD = Wood Door