


45 MINUTE FIRE RESISTIVE GPX OPENING

For more details, please visit www.safti.com



GPX-O-45R-IIXL

- 2 1/2" GPX ARCHITECTURAL SERIES OPENING WITH SUPERLITE II-XL 45 -
- INTERIOR APPLICATION -

 **SAFTIFIRST™**
FIRE RATED GLAZING SOLUTIONS
100 N. HILL DR. SUITE 12 TEL: (415) 824-4900
BRISBANE, CA 94005 FAX: (415) 824-5900

SuperLite™ II-XL
GPX ARCHITECTURAL
SERIES

DATE:


DRAWN:

SCALE:

These details are subject to change without notice.

45 MINUTE FIRE RESISTIVE GPX OPENING

For more details, please visit www.safti.com



37a JAMB DETAIL
60 GPX-0-45R-IIXL

SAFTIFIRST™
FIRE RATED GLAZING SOLUTIONS
100 N. HILL DR. SUITE 12 TEL: (415) 824-4900
BRISBANE, CA 94005 FAX: (415) 824-5900

SuperLite™ II-XL
GPX ARCHITECTURAL
SERIES

DATE:


DRAWN:

SCALE:


These details are subject to change without notice.

45 MINUTE FIRE RESISTIVE GPX OPENING

For more details, please visit www.safti.com



38a HEAD DETAIL
60 GPX-0-45R-IIXL



41a SILL DETAIL
60 GPX-0-45R-IIXL

SAFTIFIRST™
FIRE RATED GLAZING SOLUTIONS
100 N. HILL DR. SUITE 12 TEL: (415) 824-4900
BRISBANE, CA 94005 FAX: (415) 824-5900

SuperLite™ II-XL
GPX ARCHITECTURAL
SERIES

DATE:

DRAWN:

SCALE:

These details are subject to change without notice.