


GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*


HURRICANE DOORS

GPX HURRICANE SERIES - FL PRODUCT APPROVAL *FIRE RESISTIVE* HURRICANE
SINGLE DOOR WITH **SUPERLITE II-XL 60**



MAX. DOOR OPENING SIZE FOR
SINGLE DOOR: **52-1/2 IN. X 105-1/4 IN.**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL *FIRE RESISTIVE* HURRICANE
PAIR DOOR WITH **SUPERLITE II-XL 60**




MAX. DOOR OPENING SIZE FOR
PAIR DOOR: **104-1/2 IN. X 105-1/4 IN.**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS


WITH & WITHOUT DOOR BOTTOM



GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




A DOOR JAMB AT LOCK
4 WITH **SUPERLITE II-XL 60**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




A DOOR JAMB AT HINGE
5 WITH **SUPERLITE II-XL 60**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

60 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS



A
6 MEETING STILES
WITH SUPERLITE II-XL 60