


GPX HURRICANE SERIES - FL PRODUCT APPROVAL

90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*


HURRICANE DOORS

GPX HURRICANE SERIES - FL PRODUCT APPROVAL *FIRE RESISTIVE* HURRICANE
SINGLE DOOR WITH **SUPERLITE II-XL 90**



MAX. DOOR OPENING SIZE FOR
SINGLE DOOR: **52-1/2 IN. X 105-1/4 IN.**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL *FIRE RESISTIVE* HURRICANE
PAIR DOOR WITH **SUPERLITE II-XL 90**




MAX. DOOR OPENING SIZE FOR
PAIR DOOR: **104-1/2 IN. X 105-1/4 IN.**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




GPX HURRICANE SERIES - FL PRODUCT APPROVAL


90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS

WITH & WITHOUT DOOR BOTTOM



A
3 WITH DOOR BOTTOM
WITH SUPERLITE II-XL 90




A
3 WITHOUT DOOR BOTTOM
WITH SUPERLITE II-XL 90

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




A DOOR JAMB AT LOCK
4 WITH **SUPERLITE II-XL 90**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS




A DOOR JAMB AT HINGE
5 WITH **SUPERLITE II-XL 90**

GPX HURRICANE SERIES - FL PRODUCT APPROVAL

90 MINUTE GPX HURRICANE SERIES *FIRE RESISTIVE*

HURRICANE DOORS



A MEETING STILES
6 WITH SUPERLITE II-XL 90