



GPX BUILDERS SERIES

45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES FIRE PROTECTIVE SINGLE DOOR WITH **SUPERCLEAR 45-HS-LI IGU**
HOSE STREAM LOW IRON GLAZING



GPX BUILDERS SERIES FIRE PROTECTIVE PAIR DOOR WITH **SUPERCLEAR 45-HS-LI IGU**
HOSE STREAM LOW IRON GLAZING




GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD

GPX BUILDERS SERIES NARROW STYLE



A
2 DOOR TOP RAIL - STANDARD
WITH SUPERCLEAR 45-HS-LI IGU




B
2 DOOR TOP RAIL - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES

45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD WITH & WITHOUT DOOR BOTTOM


GPX BUILDERS SERIES NARROW STYLE WITH & WITHOUT DOOR BOTTOM



GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



A
4 DOOR JAMB AT LOCK - STANDARD
WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES NARROW STYLE




B
4 DOOR JAMB AT LOCK - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



(A)
5 DOOR JAMB AT HINGE - STANDARD
WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES NARROW STYLE




(B)
5 DOOR JAMB AT HINGE - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



(A) MEETING STILES - STANDARD
6 WITH SUPERCLEAR 45-HS-LI IGU

GPX BUILDERS SERIES NARROW STYLE



(B) MEETING STILES - NARROW STYLE
6 WITH SUPERCLEAR 45-HS-LI IGU