



GPX BUILDERS SERIES

45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES FIRE PROTECTIVE SINGLE DOOR WITH **SUPERCLEAR 45-HS-LI**
HOSE STREAM LOW IRON GLAZING




GPX BUILDERS SERIES FIRE PROTECTIVE PAIR DOOR WITH **SUPERCLEAR 45-HS-LI**
HOSE STREAM LOW IRON GLAZING



GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



A
DOOR TOP RAIL - STANDARD
WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES NARROW STYLE





B
DOOR TOP RAIL - NARROW STYLE
WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES

45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD WITH & WITHOUT THRESHOLD

GPX BUILDERS SERIES NARROW STYLE WITH & WITHOUT THRESHOLD



A
3 DOOR BOTTOM RAIL
WITHOUT THRESHOLD - STANDARD
WITH SUPERCLEAR 45-HS-LI

A
3 DOOR BOTTOM RAIL
WITH THRESHOLD - STANDARD
WITH SUPERCLEAR 45-HS-LI


B
3 DOOR BOTTOM RAIL
WITHOUT THRESHOLD - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI

B
3 DOOR BOTTOM RAIL
WITH THRESHOLD - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI

GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



A
4 DOOR JAMB AT LOCK - STANDARD
WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES NARROW STYLE




B
4 DOOR JAMB AT LOCK - NARROW STYLE
WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



(A) DOOR JAMB AT HINGE - STANDARD
5 WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES NARROW STYLE




(B) DOOR JAMB AT HINGE - NARROW STYLE
5 WITH **SUPERCLEAR 45-HS-LI**

GPX BUILDERS SERIES


45 MINUTE FIRE PROTECTIVE DOORS

GPX BUILDERS SERIES STANDARD



(A) MEETING STILES - STANDARD
WITH SUPERCLEAR 45-HS-LI

GPX BUILDERS SERIES NARROW STYLE



(B) MEETING STILES - NARROW STYLE
WITH SUPERCLEAR 45-HS-LI