



GPX BUILDERS SERIES

60 MINUTE TEMPERATURE RISE DOORS

GPX BUILDERS SERIES TEMPERATURE RISE SINGLE DOOR WITH SUPERLITE II-XL 60




GPX BUILDERS SERIES TEMPERATURE RISE PAIR DOOR WITH SUPERLITE II-XL 60



GPX BUILDERS SERIES


60 MINUTE TEMPERATURE RISE DOORS

GPX BUILDERS SERIES STANDARD



A DOOR TOP RAIL - STANDARD
WITH **SUPERLITE II-XL 60**

GPX BUILDERS SERIES NARROW STYLE




B DOOR TOP RAIL - NARROW STYLE
WITH **SUPERLITE II-XL 60**

GPX BUILDERS SERIES

60 MINUTE TEMPERATURE RISE DOORS


GPX BUILDERS SERIES STANDARD WITH & WITHOUT DOOR BOTTOM

GPX BUILDERS SERIES NARROW STYLE WITH & WITHOUT DOOR BOTTOM




A
3 DOOR BOTTOM RAIL
WITHOUT DOOR BOTTOM - STANDARD
WITH SUPERLITE II-XL 60

A
3 DOOR BOTTOM RAIL
WITH DOOR BOTTOM - STANDARD
WITH SUPERLITE II-XL 60



B
3 DOOR BOTTOM RAIL
WITHOUT DOOR BOTTOM - NARROW STYLE
WITH SUPERLITE II-XL 60




B
3 DOOR BOTTOM RAIL
WITH DOOR BOTTOM - NARROW STYLE
WITH SUPERLITE II-XL 60

GPX BUILDERS SERIES


60 MINUTE TEMPERATURE RISE DOORS

GPX BUILDERS SERIES STANDARD



(A)
4 DOOR JAMB AT LOCK - STANDARD
WITH SUPERLITE II-XL 60

GPX BUILDERS SERIES NARROW STYLE




(B)
4 DOOR JAMB AT LOCK - NARROW STYLE
WITH SUPERLITE II-XL 60

GPX BUILDERS SERIES


60 MINUTE TEMPERATURE RISE DOORS

GPX BUILDERS SERIES STANDARD



(A) DOOR JAMB AT HINGE - STANDARD
5 WITH **SUPERLITE II-XL 60**

GPX BUILDERS SERIES NARROW STYLE




(B) DOOR JAMB AT HINGE - NARROW STYLE
5 WITH **SUPERLITE II-XL 60**

GPX BUILDERS SERIES


60 MINUTE TEMPERATURE RISE DOORS

GPX BUILDERS SERIES STANDARD



A MEETING STILES - STANDARD
6 WITH SUPERLITE II-XL 60

GPX BUILDERS SERIES NARROW STYLE



B MEETING STILES - NARROW STYLE
6 WITH SUPERLITE II-XL 60